



Contribution ID : 152

Type : Oral

High-Resolution Macro ATR-FTIR Chemical Imaging Capability at Australian Synchrotron Infrared Microspectroscopy (IRM) Beamline

Thursday, 25 November 2021 12:00 (15)

This presentation aims to provide a summary on technical aspects and applications of our synchrotron macro ATR-FTIR microspectroscopy, unique to the Infrared Microspectroscopy (IRM) beamline at ANSTO–Australian Synchrotron.¹ The device was developed by modifying the cantilever arm of a standard macro-ATR unit to accept Ge-ATR elements. Coupling synchrotron-IR beam to the Ge-ATR element ($n=4$), reduces the beam focus size by a factor of 4 (improving lateral resolution), and the mapping step size by 4 times relative to the stage step motion. As a result, the macro ATR-FTIR measurement at our IRM beamline can be performed at minimum projected aperture (sampling spot size) of 1-2 μm using a 20x objective, and minimum mapping step size of 250 nm, allowing high-resolution chemical imaging analysis with the resolution limit beyond those allowed for standard synchrotron-FTIR transmission and reflectance setups.

The technique has facilitated many experiments in a diverse range of research disciplinary. Here, there will be presentations based on macro ATR-FTIR technique in archaeology, electrochemistry (battery), biomedical and forensic sciences. Apart from these, we will provide additional applications in the fields of food and pharmaceutical science,²⁻⁴ single-fibre analysis,⁵⁻⁶ and dentistry.⁷

References:

- [1] J. Vongsvivut, et al., *Analyst* **144**, 10, 3226-323 (2019).
- [2] A.P. Pax, et al., *Food Chemistry*, **291**, 214-222 (2019).
- [3] Y.P. Timilsena, et al., *Food Chemistry*, **275**, 457-466 (2019).
- [4] D.M. Silva, et al., *Journal of Colloid and Interface Science*, **587**, 499-509 (2021).
- [5] S. Nunna, et al., *Journal of Materials Chemistry A*, **5**, 7372-7382 (2017).
- [6] C. Haynl, et al., *Scientific Reports*, **10**, 17624 (2020).
- [7] P.V. Seredin, et al., *International Journal of Molecular Sciences*, **22**, 6510 (2021).

Level of Expertise

Expert

Presenter Gender

Woman

Pronouns

She/Her

Which facility did you use for your research

Australian Synchrotron

Students Only - Are you interested in AINSE student funding

Do you wish to take part in the Student Poster Slam

Condition of submission

Yes

Primary author(s) : VONGSVIVUT, Jitraporn (Pimm) (Australian Synchrotron)

Co-author(s) : Dr TOBIN, Mark (ANSTO); KLEIN, Annaleise (ANSTO); BAMBERY, Keith (ANSTO)

Presenter(s) : VONGSVIVUT, Jitraporn (Pimm) (Australian Synchrotron)

Session Classification : Instruments & Techniques

Track Classification : Instruments & Techniques